

IMPACT PULVERIZER



AUTO SUCTION HAMMER MILL



HAMMER MILL



BOTTOM DISCHARGE HAMMER MILL



SPICE MILL



POUNDING MACHINE



FOUR HAMMER POUNDING MACHINE



DRY & WET PULVERIZER



WET PULVERIZER



MINI PULVERIZER



JACKETED MINI PULVERIZER



BLACK PEPPER DAL MAKING MACHINE



MULTI CAMBER **PULVERIZER**



MINI DAL MILL



EMERY SCOURER



DAL POLISHER





SIEVES / SIFTER



RIBBON BLENDER



MIXER 'U' TYPE



DOUGH KNEADER



SEMI AUTOMATIC CHAPATI MAKING M/C



RAW CHAPATI MAKING MACHINE



AUTOMATIC CHAPATI MAKING MACHINE



NOODLE MAKING



MACHINE





ECONOMIC STEAMER IDLI DHOKLA MOMOS STEAMER



SHEVAYA MACHINE



VERMICELLI MAKING MACHINE



TRAY DRYER DRYING OVEN



VEGETABLE PEELER



POTATO CHIPS CRISPS HAND OPERATED POTATO
MAKING MACHINE CHIPS MAKING MACHINE



FRENCH FRY MAKING MACHINE



MACHINE



RECTANGULAR FRYER



CIRCULAR BATCH FRYER



CONTINUOUS FRYER



COATING PAN





MKEEN MAKING MACHINE CENTRIFUGAL DRYER MACHINE



DOUGH KNEADER WITH EXTUDER



PAPAD MAKING MACHINE



CONTINUOUS PAPAD DRYER



PANI PURI MAKING MACHINE



GRINDER, BLENDER



MIXER GRINDER BLENDER



STIRRER



MULTIPURPOSE EGETABLE CUTTER





GREEN CHILL ONION CHOPPER





DRY FRUITS CHIPS MAKING MACHINE



DRY FRUITS CHIPS MULTIPURPOSE DRY FRU
MAKING MC WITH MOTOR CHIPS & POWDER MACHIN





VENDING MACHINES





AN ISO 9001:2008 CERTIFIED COMPANA

du. Jareznataji estate. Panna estate road. Rakhial. Ahmedabad. Gujarat - 180021. India felephone: + (91)-(79)-22743454 fax: + (91)-(79)-22745052 csm: + (91)-9427417354-9425055550 URla-http://www.jarenterprize.com/

mee.ilame9779 laavegret 2 mee.erirgeelaeref@clai-clam 3 DUE TO CONTINUOUS IMPROVEMENTS, WE RESERVE THE RIGHTS TO ALTER AND OR AMEND DIMENSIONS DESIGN WITHOUT PRIOR NOTICE.



Jas Enterprises

An ISO 9001:2008 Certified Company



Technically sound designing of mini pulverizer makes it a perfect pulverizer for a crushing target of up to 15 to 80 kilograms per hour. It takes less installation space than normal pulverizer machines and has steel molded body. This ensures unmatched durability and little maintenance. The advanced working methodologies of this pulverizer ensure superior quality of ground material.

The Techno Wings Mini Pulverizer comprises of a heavy duty Mild Steel / Stainless Steel body, which comprises of a feeding hopper, with a feed regulator slide. The pulverizer body is inlaid with a delivery trough attached at the bottom, with a delivery trough attached at the discharged end. The rotor & beater are mounted on shaft, running in a ball bearing housing at a speed of 4500-6000 R. P.M. The whole unit is mounted on a strong steel stand.

Construction of mini pulverizer

Main body & frame is made of high quality cast iron / M. S. frame, liner of high grade steel casting and bearings are lubricated oil (company supplying the machine without oil) Instead of rubber oil seals metal seals are used for avoiding friction & maintenance, which will occur due to the use of rubber seals.

Operating Principal of mini Pulverizer

The flow of material from the feeding hopper is regulating by means of side handle easily to suit the load. Rotor with four cutters runs in anti-clockwise direction. The beaters pass just beneath the ratchet teeth liner fitted inside the top half of the crushing chamber, leaving a gap of 3 mm between the liner teeth and the tips of the rotating beaters. This cuts the material caught between the liner teeth like a sword with a scissors action at a high speed rotations. After the required size reduction, the material will pass through the screen fitted inside the lower discharge end of the pulverizing chamber. No sieving is required, as the appropriate size screen fitted will not allow coarser material to pass through. The air generated in the crushing chamber forces the powder to pass through the screen fitted at the bottom discharge end of the crushing chamber, into a filter attached to the delivery trough below. (When crushing Wet-Pulpy materials, the balloon should not be use)

Servicing guidelines of mini pulverizer

Open the cover of chamber all pulverizing parts cleaned with a brush in couple of minute and the Pulverizer is ready for next crushing. If required, the grinding chamber can also be wash with water. Remove the cotton balloon and the screen, close the cover tightly and start the grinder. Now pour a bucket or two of water into the hopper. The grinding parts will be flushed with the water and cleaned. Continue running the machine for a few more minutes as the draft of the fresh air sucked into the grinder will dry it. The beater when worm out removed and reserved by removing the cur clip lock holding to the rotor pins. When both the edges are worm out, they sharpened on an emery stone, to be use as new. In addition, when completely warn out, replaced the equal weight and refitted.

Typical Application of mini pulverizer

The Techno Wings mini pulverizers are widely used for grinding of both dry/wet spices, green chilly, fresh ginger, garlic, fresh fruits, vegetables. These pulverizer machine can also be used as a fruit finisher. The techno wings Mini Pulverizer can also be used for the following dry applications like agricultural chemicals, broken biscuits, custard powder, coffee, charcoal, dals, dyes & pigments, fillers, henna leaves, herbs, leaves and roots instant foods insecticides and pesticides, kaolin molding powders, pharmaceuticals, plastics, poultry feed & marine feed, resins, sugar (biscuit grade/icing grade), Stearates, tea etc

Outstanding Features of mini pulverizer

- Unique and Reliable Design
- The mini series pulverizers are highly effective as well as non stop continuous pulverizing process.
- Compact size
- Interchangeable & reversible joint less hardened beater thus, the pulveriser will last a life time with minimum replacements
- Dust free operation
- Grinding is carried out in a cool atmospheric temperature, which guarantee against thermal degradation of product quality and flavors.



Jas Enterprises An ISO 9001:2008 Certified Company



Rugged Construction of mini pulverizer

Techno wings brand mini pulveriser is made from specially selected materials. The beater are interchangeable and reversible thus, the pulveriser will last for a life time with minimum replacement of parts. Mini pulverizer is Made from Cast Iron body. Grinding Chamber lined with serrated wear plates, which protects the body from wear and tear. Grinding done by a set of swinging four numbers inter changeable and reversible beater on a balanced rotor which is fitted on a shaft. Shaft is fixed with a suitable deep groove ball bearings which is continuously lubricated by oil. This shaft is run by driven pulley and A screen classifier forms the lower half of the grinding chamber.

Technical Specifications of Mini Pulverizer

Model No	TW-MP-4	TW-MP-5	TW-MP-6
Chamber Size (Ø= Diameter X width)	Ø 200 mm X 75 mm	Ø 250 mm X 100 mm	Ø 300 mm X 150 mm
Pulverizer's RPM	4500 to 6000	4500 to 6000	4500 to 6000
Motor HP (KW.)	2 HP (1.5 kW.) Or 3 HP (2.2 Kw.)	5HP (3.7 kW.) Or 7.5 HP (5.6 kW)	7.5 HP (5.6 kW.) Or 10 HP (7.5 kW.)
Fineness Range		2 to 100 B.S.S. Mesh	


Note:- Economic Models are also available.
Standard Accessories of Mini Pulverizer.

- One number cotton Balloon
- Five numbers of different size holes screen for getting different mesh powders.

Extra Accessories of Mini Pulverizer

- Three meter suitable cable along with ampere meter & miniature circuit breaker & Suitable totally enclosed fan cooled three phase or Single Phase Squirrel cage motor {Electricity (Special power can be accommodated): 220/380/415 Volts, 50/60 Hz, 1/3 Phase }
- All contacting parts Stainless steel 304 / 316 can be accommodated

NOW ECONOMIC MODELS ARE AVAILABLES.



Dynamically balance interchangeable & reversible joint-less hardened beater